

CARE INSTRUCTIONS

KAISER PERMANENTE

Parotidectomy: Before Your Surgery

What is a parotidectomy?

Parotidectomy is the removal of the parotid gland, located below the ear. This gland makes saliva, which enters the mouth through a tube (duct) near the back teeth. The gland is removed to treat an infection that keeps returning or to take out a tumor. Most tumors that grow in the parotid gland are benign, meaning they are not cancer.

You will be asleep during the surgery. The doctor will take out the gland through a cut (incision) in your neck and in front of your ear. The incision usually heals without leaving an obvious scar.

You will likely have a tube called a drain placed behind your ear to let fluid out of the incision. Your doctor will probably take this out a few days after your surgery.

Your doctor will tell you if you need to come back to have stitches taken out.

You may be able to return to work or your normal routine after a few weeks. How long it will take depends on several things, including how much tissue was taken out, how quickly you recover, and the kind of work you do.

Follow-up care is a key part of your treatment and safety. Be sure to make and go to all appointments, and call your doctor if you are having problems. It's also a good idea to know your test results and keep a list of the medicines you take.

What happens before surgery?

Having surgery can be stressful. This information will help you understand what you can expect and how to safely prepare for surgery.

Preparing for surgery



Parotidectomy: Before Your Surgery (page 2)

- Bring a list of questions to ask your doctors. It is important that you understand exactly what surgery is planned, the risks, benefits, and other options before your surgery.
- Tell your doctors ALL the medicines, vitamins, supplements, or herbal remedies you are taking. Keep a list of these with you, and bring this with you to every appointment. You will be told which medicine to take or to stop before your surgery.
- Some medicines, such as aspirin or ibuprofen (Advil, Motrin), and certain vitamins and herbal remedies can increase the risk of bleeding or interact with anesthesia. You may be asked to stop these a week before surgery.
- Before your surgery, you will speak with an anesthesia provider to discuss your anesthetic
 options, including the risks, benefits, and alternatives to each. This may be on the phone or in
 person.

Taking care of yourself before surgery

- Build healthy habits into your life. Changes are best made several weeks before surgery, since your body may react to sudden changes in your habits.
 - Stay as active as you can.
 - · Eat a healthy diet.
 - · Cut back or quit alcohol and tobacco.
- If you have an advance directive—which may include a living will and a durable power of
 attorney for health care—let your doctor know. If you do not have one, you may want to prepare
 one so your doctor and loved ones know your health care wishes. Doctors recommend that
 everyone prepare these papers before surgery, regardless of the type of surgery or condition.

What happens on the day of surgery?

- Follow the instructions exactly about when to stop eating and drinking, or your surgery may be canceled. If your doctor has instructed you to take your medicines on the day of surgery, please do so using only a sip of water.
- Take a bath or shower before you come in for your surgery. Do not apply lotions, perfumes, deodorants, or nail polish.
- Do NOT shave the surgical site yourself.
- Remove all jewelry, piercings, and contact lenses.
- Leave your valuables at home.



Parotidectomy: Before Your Surgery (page 3)

At the hospital or surgery center

- Bring a picture ID.
- Before surgery you will be asked to repeat your full name, what surgery you are having, and what part of your body is being operated on. The area for surgery may be marked.
- A small tube (IV) will be placed in a vein, to give you fluids and medicine to help you relax.
 Because of the combination of medicines given to keep you comfortable, you may not remember much about the operating room.
- You will be kept comfortable and safe by your anesthesia provider. The anesthesia may range
 from making you fully asleep, to simply numbing the area being worked on. This will depend on
 the procedure you are having, as well as a discussion between your doctor, the anesthesia
 provider, and you.
- The surgery will take about 3 to 4 hours.
- As you wake up in the recovery room, the nurse will check to be sure you are stable and comfortable. It is important for you to tell your doctor and nurse how you feel and ask questions about any concerns you may have.

Going home

- Be sure you have someone to drive you home.
- For your safety, you should not drive until you are no longer taking pain medicines, and you can move and react easily.
- Arrange for extra help at home after surgery, especially if you live alone or provide care for another person.
- You will be given more specific instructions about recovering from your surgery, including activity and when you may return to work.

When should you call your doctor?

- You have questions or concerns.
- · You don't understand how to prepare for your surgery.
- You become ill before the surgery (such as fever, flu, or a cold).
- You need to reschedule or have changed your mind about having the surgery.



Parotidectomy: Before Your Surgery (page 4)

Where can you learn more?

Go to http://www.kp.org

Enter H726 in the search box to learn more about "Parotidectomy: Before Your Surgery".

© 2006-2010 Healthwise, Incorporated. Care instructions adapted under license by Kaiser Permanente. This care instruction is for use with your licensed healthcare professional. If you have questions about a medical condition or this instruction, always ask your healthcare professional. Healthwise disclaims any warranty or liability for your use of this information.

