

Kaiser Permanente Standard Immunization & Visit Schedule

These vaccines and visits are recommended for all healthy children. This schedule provides a guideline; your provider may recommend a slightly different schedule based on your child's needs.

| RECOMMENDED AGE | USUAL VACCINE(S) |
|--------------------|--|
| Birth | Нер В |
| 6 weeks-3 months | Pediarix, Hib, PCV20, RV |
| 4-5 months | Pediarix, Hib, PCV20, RV |
| 6-11 months | Pediarix, Hib, PCV20 |
| 12-17 months | DTaP, Hib, PCV20, MMR, |
| | VZV, Hep A |
| 18-23 months | Нер А |
| 4-6 years | Kinrix, ProQuad, TB Screening |
| 9-11 years | HPV9 #1, HPV9 #2 (6 mos. after) |
| 11-13 years | Tdap, MCV4 |
| 16 years and older | MCV4 |
| | Birth 6 weeks-3 months 4-5 months 6-11 months 12-17 months 18-23 months 4-6 years 9-11 years 11-13 years |

After 6 years of age, health care visits are usually done every 1-2 years.

Influenza vaccines not shown but recommended each year for all persons 6 months of age and older.

VACCINE ABBREVIATIONS:

DTaP = diphtheria, tetanus and pertussis (under 7 years old) Hep A = hepatitis A (prevents hepatitis transmitted by ingesting hepatitis A virus) Hep B = hepatitis B (prevents a form of hepatitis transmitted by body fluids including blood) Hib = Haemophilus influenzae (prevents bacterial meningitis and pneumonia) HPV9 = human papillomavirus (prevents cancer and some warts), after 15 y.o. needs 3 doses IPV = inactivated poliovirus (prevents poliomyelitis due to polioviruses) MCV4 = meningococcal conjugate (prevents bacterial meningitis and sepsis) MMR = measles, mumps, rubella PCV20 = 20-valent pneumococcal conjugate (prevents bacterial meningitis and sepsis) PPD = purified protein derivative, a skin test for tuberculosis RV = oral rotavirus vaccine (prevents vomiting and diarrhea) Tdap = teenage/adult tetanus, diphtheria, and pertussis vaccine (11 years old or more) Td = tetanus booster for some patients with injuries or who are behind (7 years old or more) VZV = varicella zoster virus (prevents chickenpox) Pediarix = DTaP + IPV + Hep B (usual infant combination vaccine; fewer injections) Kinrix = DTaP + IPV (only children 4-6 years old; not given when 7 years old or more) ProQuad (MMRV) = MMR + VZV *TB screening = as needed depending on risk factors

The Centers for Disease Control provides Vaccine Information Statements with useful information for parents on their website at http://www.cdc.gov/vaccines/

