
Quotation

**“Although the world is full
of suffering, it is full also
of the overcoming of it.”**

—Helen Keller
(20th-century American writer)

Safety Is the Most Important Priority Right Now!

This entire treatment revolves around one central idea: *You need to stay safe*. The good news is that you can learn to cope safely, no matter what negative life events come your way. Nothing has to make you use substances or engage in any other high-risk behavior.

EXAMPLES

Life situation. You lose your job; your mother criticizes you; you wake up depressed; someone offers you cocaine; your dog dies; you dissociate; your partner gives you a hard time; you have no money; you find out you have a tumor; you have a flashback; you can't sleep.

Your coping. This is everything! *No matter what happens in your life, you can cope safely.*

Unsafe Coping	versus	Safe Coping
Use substances	versus	Ask for help
Hurt yourself (e.g., cutting, burning)	versus	Take good care of your body
Let someone harm you	versus	Set a boundary in a relationship
Act on impulse	versus	Rethink the situation

The goal of this treatment is to help you become more aware of how you are coping and to teach you how to cope more safely. That's it!

STAGES OF HEALING FROM PTSD AND SUBSTANCE ABUSE

For both PTSD and substance abuse, *safety* is the first stage in healing, according to a great deal of research and clinical wisdom. The stages are as follows:

1. **Safety.** This is the phase you are in now. The goals are to free yourself from substance abuse, stay alive, build healthy relationships, gain control over your feelings, learn to cope with day-to-day problems, protect yourself from destructive people and situations, not hurt yourself or others, increase your functioning, and attain stability.

2. **Mourning.** Once you are more safe, you may need to grieve about the past—about what your trauma and substance abuse did to you. You may need to cry deeply to get over the losses and pain you experienced: loss of innocence, loss of trust, loss of time.

3. **Reconnection.** After letting yourself experience mourning, you will find yourself more willing and able to reconnect with the world in joyful ways: thriving, enjoying life, able to work and relate well to others. You *will* get to this stage if you can establish safety now!

(cont.)

From *Seeking Safety* by Lisa M. Najavits (2002). Copyright by The Guilford Press. Permission to photocopy this form is granted to purchasers of this book for personal use only (see copyright page for details).

Safe Coping Skills

☞ Ask for help

Reach out to someone safe

☞ Inspire yourself

Carry something positive (e.g., poem), or negative (e.g., photo of friend who overdosed)

☞ Leave a bad scene

When things go wrong, get out

☞ Persist

Never, never, never, never, never, never, never, never, never give up

☞ Honesty

Secrets and lying are at the core of PTSD and substance abuse; honesty heals them

☞ Cry

Let yourself cry; it will not last forever

☞ Choose self-respect

Choose whatever will make you like yourself tomorrow

☞ Take good care of your body

Healthy eating, exercise, safe sex

☞ List your options

In any situation, you have choices

☞ Create meaning

Remind yourself what you are living for: your children? love? truth? justice? God?

☞ Do the best you can with what you have

Make the most of available opportunities

☞ Set a boundary

Say "no" to protect yourself

☞ Compassion

Listen to yourself with respect and care

☞ When in doubt, do what's hardest

The most difficult path is invariably the right one

(cont.)

From *Seeking Safety* by Lisa M. Najavits (2002). Copyright by The Guilford Press. Permission to photocopy this form is granted to purchasers of this book for personal use only (see copyright page for details).

☞ Talk yourself through it

Self-talk helps in difficult times

☞ Imagine

Create a mental picture that helps you to feel different (e.g., remember a safe place)

☞ Notice the choice point

In slow motion, notice the exact moment when you chose a substance

☞ Pace yourself

If overwhelmed, go slower; if stagnant, go faster

☞ Stay safe

Do whatever you need to do to put your safety above all

☞ Seek understanding, not blame

Listen to your behavior; blaming prevents growth

☞ If one way doesn't work, try another

As if in a maze, turn a corner and try a new path

☞ Link PTSD and substance abuse

Recognize substances as an attempt to *self-medicate*

☞ Alone is better than a bad relationship

If only treaters are safe for now, that's okay

☞ Create a new story

You are the author of your life: be the hero who overcomes adversity

☞ Avoid avoidable suffering

Prevent bad situations in advance

☞ Ask others

Ask others if your belief is accurate

☞ Get organized

You'll feel more in control with "to-do" lists and a clean house

☞ Watch for danger signs

Face a problem before it becomes huge; notice *red flags*

☞ Healing above all

Focus on what matters

(cont.)

☞ Try something, anything A good plan today is better than a perfect one tomorrow

☞ Discovery Find out whether your assumption is true, rather than staying "in your head"

☞ Attend treatment AA, self-help, therapy, medications, groups—anything that keeps you going

☞ Create a buffer Put something between you and danger (e.g., time, distance)

☞ Say what you really think You'll feel closer to others (but only do this with safe people)

☞ Listen to your needs No more neglect—really hear what you need

☞ Move toward your opposite For example, if you are too dependent, try being more independent

☞ Replay the scene Review a negative event: What can you do differently next time?

☞ Notice the cost What is the price of substance abuse in your life?

☞ Structure your day A productive schedule keeps you on track and connected to the world

☞ Set an *action plan* Be specific, set a deadline, and let others know about it

☞ Protect yourself Put up a shield against destructive people, bad environments, and substances

☞ Soothing talk Talk to yourself very gently (as if to a friend or small child)

☞ Think of the consequences *Really* see the impact for tomorrow, next week, next year

☞ Trust the process Just keep moving forward; the only way out is through

(cont.)

☞ Work the material	The more you practice and participate, the quicker the healing
☞ Integrate the split self	Accept all sides of yourself; they are there for a reason
☞ Expect growth to feel uncomfortable	If it feels awkward or difficult, you're doing it right
☞ Replace destructive activities	Eat candy instead of getting high
☞ Pretend you like yourself	See how different the day feels
☞ Focus on now	Do what you can to make today better; don't get overwhelmed by the past or future
☞ Praise yourself	Notice what you did right; this is the most powerful method of growth
☞ Observe repeating patterns	Try to notice and understand your reenactments
☞ Self-nurture	Do something that you enjoy (e.g., take a walk, see a movie)
☞ Practice delay	If you can't totally prevent a self-destructive act, at least delay it as long as possible
☞ Let go of destructive relationships	If it can't be fixed, detach
☞ Take responsibility	Take an active, not a passive approach
☞ Set a deadline	Make it happen by setting a date
☞ Make a commitment	Promise yourself to do what's right to help your recovery
☞ Rethink	Think in a way that helps you feel better

(cont.)

☞ Detach from emotional pain (grounding)	Distract, walk away, change the channel
☞ Learn from experience	Seek wisdom that can help you next time
☞ Solve the problem	Don't take it personally when things go wrong—try just to seek a solution
☞ Use kinder language	Make your language less harsh
☞ Examine the evidence	Evaluate both sides of the picture
☞ Plan it out	Take the time to think ahead—it's the opposite of impulsivity
☞ Identify the belief	Examples: <i>shoulds</i> , <i>deprivation reasoning</i>
☞ Reward yourself	Find a healthy way to celebrate anything you do right
☞ Create new "tapes"	Literally! Take a tape recorder and record a new way of thinking to play back
☞ Find rules to live by	Remember a phrase that works for you (e.g., "Stay real")
☞ Setbacks are not failures	A setback is just a setback, nothing more
☞ Tolerate the feeling	"No feeling is final"; just get through it safely
☞ Actions first, and feelings will follow	Don't wait until you feel motivated; just start now
☞ Create positive addictions	Examples: sports, hobbies, AA . . .
☞ When in doubt, don't	If you suspect danger, stay away

(cont.)

☞ Fight the trigger	Take an active approach to protect yourself
☞ Notice the source	Before you accept criticism or advice, notice who's telling it to you
☞ Make a decision	If you're stuck, try choosing the best solution you can right now; don't wait
☞ Do the right thing	Do what you know will help you, even if you don't feel like it
☞ Go to a meeting	Feet first; just get there and let the rest happen
☞ Protect your body from HIV	This is <i>truly</i> a life-or-death issue
☞ Prioritize healing	Make healing your most urgent and important goal, above all else
☞ Reach for community resources	Lean on them! They can be a source of great support
☞ Get others to support your recovery	Tell people what you need
☞ Notice what you <i>can</i> control	List the aspects of your life you <i>do</i> control (e.g., job, friends . . .)

Acknowledgments: The "signs of recovery" in Handout 1 are based in part on Harvey (1990). Some of the safe coping skills in Handout 2 are from Marlatt and Gordon (1985) (e.g., "Setbacks are not failures" and "Create positive addictions"); some are related to AA (e.g., "Work the material" and "Go to a meeting"); "No feeling is final" is from Rilke (1996); and many are drawn from professional books and articles on cognitive-behavioral therapy and relapse prevention. Ask your therapist for guidance if you would like to locate any of these sources.

Ideas for a Commitment

Commit to one action that will move your life forward!

It can be anything you feel will help you, or you can try one of the ideas below.

Keeping your commitment is a way of respecting, honoring, and caring for yourself.

- + Option 1: Go through the list of Safe Coping Skills, checking off (✓) the ones you already do, and putting a star (★) next to the ones you want to learn.
- + Option 2: Start keeping a "journal of successes" (times that you coped safely, obstacles overcome, successes in resisting substance use, coping skills that you used).
- + Option 3: Create an "inspiration book" or "inspiration box" to inspire you to stay safe (including photographs of people you love, songs, poems, quotations, news clippings, etc.).
- + Option 4: Fold the list of Safe Coping Skills in half down the middle. Read the names of the skills on the left side and try to remember what each one means. Give yourself 1 point for each correct answer.
- + Option 5: Write a paragraph on what "safety" means to you.
- + Option 6: Try using one new skill this week from the list of Safe Coping Skills and write how it went.
- + Option 7: Fill out the Safe Coping Sheet. (See below for an example applied to this topic.)

EXAMPLE OF THE SAFE COPING SHEET APPLIED TO THIS TOPIC

	Old Way	New Way
Situation	I got laid off from work.	I got laid off from work.
★ Your Coping ★	I feel like I can't cope—this is the last straw. I don't know what to do. I have money problems already, and this will put me under. I got high.	Say to myself, "If I stay safe, I can try to cope with this." I can: <ul style="list-style-type: none"> • Call my brother to talk about it. • Talk to my counselor about how to get a new job. • Go to an AA meeting and be around people.
Consequence	Felt out of control, felt like a failure.	Able to stay safe without getting high; felt okay. Even though I'm still out of a job, I feel proud of having not buckled under the stress.

How safe is your old way of coping? _____ How safe is your new way of coping? _____

Rate from 0 (not at all safe) to 10 (totally safe)

From *Seeking Safety* by Lisa M. Najavits (2002). Copyright by The Guilford Press. Permission to photocopy this form is granted to purchasers of this book for personal use only (see copyright page for details).